

SAFETY DATA SHEET

Product Name: IMPACT Part C

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Manufacturer/Distributor Name: Ultra Durable Technologies, Inc.

1415 5th St N

St. Cloud, MN 56303

1-800-722-2998 www.ultradt.com

Emergency Phone Numbers: CHEMTREC within the United States 1-800-722-2998

CHEMTREC within Canada +1-703-527-3887

Product Name: IMPACT Part C

SECTION 2 – HAZARDS IDENTIFICATION

Classifications:
Health: Category 4
Flammability: Category 4
Reactivity: Category 5

Signal Words:

Warning

Hazard Statements:

H320: Causes eye irritation H315: Causes skin irritation H332: Harmful if inhaled

Precautionary statements:

Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.

Response:

P305+ P351: IF IN EYES: Rinse cautiously with water for several minutes.

P302+352: IF ON SKIN: Wash with plenty of water

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P313: IF SWALLOWED: Get medical advice/attention.

Storage:

P402+404: Store in a dry place. Store in a closed container.

Disposal

P501: Dispose of contents/container to an approved disposal plant.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Information concerning other non-hazardous ingredients is considered a trade secret.

<u>CAS NO.</u> <u>WT%</u> <u>COMPONENT</u> <u>EXPOSURE LIMITS</u>

Proprietary 100% Proprietary N/A

SECTION 4 – FIRST AID MEASURES

Eye: Immediately flush with water for 15 minutes.

Skin: Remove from skin and wash thoroughly with soap and water or water less cleanser. Get

1 of 4 | Page





medical attention if irritation or other ill effects develop or persist.

Inhalation: Remove to fresh air. Get medical attention if ill effects persist.

Oral: Get medical attention. If conscious, induce vomiting. Lie down, keep warm, and cover eyes to

exclude light.

Comments: Treat same as methyl alcohol poisoning.

SECTION 5 – FIREFIGHTING MEASURES

Flash Point (Closed Cup): <213.98 DEGREE F/101.10 DEGREE C

Autoignition Temperature: Not Determined Flammability Limits in Air: Not Determined

Extinguishing Media: Water. Water fog (or spray). Carbon dioxide (C02).Dry chemical. Foam.

Unsuitable Extinguishing Media: None

Fire Fighting Procedures: Self-contained breathing apparatus and protective clothing should be

worn in fighting fire-involving chemicals.

Unusual Fire Hazards: None

SECTION 6 – ENVIRONMENTAL RELEASE MEASURES

Containment/Clean-up: Disposal of collected product, residues, and cleanup materials may be governmentally regulated. Observe all applicable local, state, and federal waste management regulations. Mop up, or wipe up, or soak up with absorbent and contain for salvage. For non-silicones, use typical industrial cleaning material being used. For large spills, provide diking or other appropriate containment to keep material from spreading. Observe all personal protection equipment recommendations described in section 5 and 8. Local, state, and federal reporting requirements may apply to spills or releases of this material into the environment. See applicable regulatory compliance information in Section 15.

Note: See Section 8 for Personal Protective Equipment for Spills.

SECTION 7 – HANDLING AND STORAGE

Handling: No special precaution.

Storage: Keep container closed and store away from water or moisture.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Local exhaust: Recommended General Ventilation: Recommended

Personal Protective Equipment For Routine Handling:

Eyes: Use proper protection-safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: Use respiratory unless adequate local exhaust ventilation is provided or air sampling

data show exposures are within recommended exposures guidelines.

Industrial Hygiene Personnel can assist in judging the adequacy of existing engineering

controls.

Suitable Respirator: Self-contained breathing apparatus (SCBA) or other supplied-air respirator.

Personal Protective Equipment For Spills:

Eye: Use full-face respirator.

Skin: Washing at mealtime and end of shift is adequate.

Inhalation/Suitable Respirator: Use self-contained breathing apparatus (SCBA) or other supplied-air respirator.

Precautionary Measures: Avoid eye contact. Avoid breathing vapor. Keep container closed. Do not take

internally.

2 of 4 | Page



Comments: Product may evolve into methyl alcohol when exposed to water or humid air. Provide ventilation during use to control exposure within Section 2 guidelines or use air-supplied or self-contained breathing apparatus.

Note: These precautions are for room temperature handling. Use at elevated temperatures, or aerosol/spray applications may require added precautions.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical form: Liquid

Color: Colorless to pale yellow

Odor: Aromatic odor

Specific Gravity@ 25C: 1.05 Viscosity: 2.80 CST

Freezing/Melting Point:

Boiling Point:

Vapor Pressure @ 25C:

Vapor Density:

Solubility in Water:

PH:

Not Applicable

Not Determined

Not Determined

Not Determined

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Not Applicable

SECTION 10- STABILITY AND REACTIVITY

Chemical Stability: Stable

Hazardous Polymerization: Hazardous polymerization will not occur.

Conditions to Avoid: None

Material to Avoid: Oxidizing material can cause a reaction.

Comments: Water, moisture, or humid air-hazardous vapors form as described in Section 2.

Hazardous Decomposition Products:

Thermal breakdown of this product during fire or high heat conditions may evolve the following hazardous decomposition products; Silicon dioxide. Carbon oxides and traces of incompletely burned carbon compounds.

SECTION 11- TOXICOLOGICAL INFORMATION

Optional Section - Complete information not yet available.

SECTION 12- ECOLOGICAL INFORMATION

Optional Section - Complete information not yet available.

SECTION 13-DISPOSAL CONSIDERATIONS

Optional Section - Complete information not yet available.

SECTION 14 -TRANSPORT INFORMATION

Proper Shipping Name:
Hazard Technical Name:
Not Available



SECTION 15- REGULATORY INFORMATION

Contents of this SDS comply with OSHA Hazard Communication Standard 29CFR 1910. 1200 TSCA Status: All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

EPA SARA Title III Chemical Listings:

None

Section 304 CERCLA Hazardous Substances:

None

Section 312 Hazard Class:

Acute: Y
Chronic: Y
Fire: N
Pressure: N
Reactive: N
Y=Yes N=No

Section 313 Toxic Chemicals:

Not applicable

Supplemental State Compliance Information:

California

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause birth defects or other reproductive harm: None Known.

SECTION 16 – OTHER INFORMATION

REVISION DATE: 8/30/2019 (name change – removed "gloss") The information and recommendations in this publication are, to the best of our knowledge, reliable. Suggestions made concerning uses or applications are only the opinion of Ultra Durable Technologies. Users should make their own tests to determine the suitability of these products for their own particular purposes. However, because of numerous factors affecting results, ULTRA DURABLE TECHNOLOGIES MAKES NO WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANT ABILITY AND FITNESS FOR PURPOSE, other than that the material conforms to its applicable current Standard Specifications. Statements herein, therefore, should not be construed as representations or warranties. The responsibility of Ultra Durable Technologies for claims arising out of reach of warranty, negligence, strict liability, or otherwise is limited to the purchase price of the material. Statements concerning the use of the products of formulations described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed. Standard Specifications, although current at the time of publication, are subject to change without notice. For the latest Standard Specification contact our nearest sales office.

Important Notice to Purchaser: The information in this publication is based on tests that we believe are reliable. Your results may vary due to differences in test types and conditions. You must evaluate and determine whether the product is suitable for your intended application. Ultra Durable Technologies' exclusive warranty is as follows: If Ultra Durable Technologies products are proved defective, the user's exclusive remedy will be, at Ultra Durable Technologies option, to replace the defective product or to refund the purchase price for the defective quantity. Except for the replacement or refund remedies, Ultra Durable Technologies is not liable for direct damages or liable for indirect, incidental or consequential damages, regardless of the legal theory asserted, including negligence and strict liability.