Section 1: Identification of the Substance/Mixture and the Company/Undertaking

Product Name: MV Epoxy Primer Part B

Ultra Durable Technologies, Inc. www.ultradt.com 355 6th Ave N info@ultradt.com Waite Park, MN 56387 (800) 722-2998

Chemtrec: 800-424-9300 703-527-3887



Section 2: Hazard(s) Identification

GHS Ratings:

Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Dermal Toxicity	Acute Tox. 1	Dermal<=50mg/kg
Skin corrosive	1C	Destruction of dermal tissue: Exposure < 4 hours
		Observation < 14 days, visible necrosis in at least one animal
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after
		exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Skin sensitizer	1	Skin sensitizer
Reproductive toxin	2	Human or animal evidence possibly with other information

GHS Hazards

H310 Fatal in contact with skin H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction H318 Causes serious eye damage H361 Suspected of damaging fertility or the unborn child	H302	Harmful if swallowed
H317 May cause an allergic skin reaction H318 Causes serious eye damage	H310	Fatal in contact with skin
H318 Causes serious eye damage	H314	Causes severe skin burns and eye damage
, 3	H317	May cause an allergic skin reaction
H361 Suspected of damaging fertility or the unborn child	H318	Causes serious eye damage
	H361	Suspected of damaging fertility or the unborn child

GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P262	Do not get in eyes, on skin, or on clothing
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P310	Immediately call a POISON CENTER or doctor/physician
P321	Specific treatment, see supplemental first aid information.
P322	Specific measures (see on this label)
P330	Rinse mouth
P361	Remove/Take off immediately all contaminated clothing

P363 Wash contaminated clothing before reuse

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P350 IF ON SKIN: Gently wash with soap and water P302+P352 IF ON SKIN: Wash with soap and water

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations. Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents,

container or both.

Signal Word: Danger







Section 3: Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Phenol, styrenated	61788-44-1	40.00% - 50.00%
Propylene glycol diamine, 2-amino-, diether with Propylene	9046-10-0	30.00% - 40.00%
2,4,6-Tri(dimethylaminomethyl)phenol	90-72-2	5.00% - 10.00%
Isophorone diamine	2855-13-2	1.00% - 5.00%
1-(2-Aminoethyl) piperazine	140-31-8	1.00% - 5.00%

Section 4: First Aid Measures

4.1 Description of First Aid Measures

After Inhalation: Supply fresh air. If required provide artificial respiration. Keep patient warm.

Consult doctor if symptons persist.

After Eye Contact: Remove contact lens if worn. Rinse opened eye for several minutes unter running water. If symptoms persist, consult a doctor.

After Skin Contact: Immediately wash with wter and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting. Call for medical help immediately.

Notes to Physician: Treat symptomatically

Section 5: Firefighting Measures

Flash Point: N/A

LEL: UEL:

5.1 Extinguising Media

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

5.2 Special Hazards Arising from the Substance of Mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Hazardous Combustion Products

Carbon oxides

5.4 Advice for Firefighters

Wear self-contained respiratory protective device

5.5 Fire Equipment

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Do not breathe vapors

Avoid contact with skin, eyes and clothing

Remove all non-essential people from the affected area.

Ensure adequate ventilation

Wear protective equipment

6.2 Environmental Precautions: Do not allow to enter sewers/ surface or ground water. Prevent seepage into sewage system, workpits and cellars

6.3 Methods and Materials for Containment and Cleaning Up:

Ensure adequate ventilation.

Pick up and arrange disposal without creating dust.

Dispose of the collected material according to regulations

6.4 Reference to Other Sections

For personal protection see Section 8

For disposal information see Section 13.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Do not breathe vapor/spray

Do not get in eyes, on skin, or on clothing

Ensure good ventilation/exhaustions at the workplace

Make sure that all applicable workplace limits are observed.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Store in cool, dry conditions in well sealed receptacles

Keep receptacle tightly sealed. Store in dry conditions.

Protect from humidity and water

SDS for: MV EPOXY PRIMER Part B Page 3 of 8 2/24/2023

Storage temperature 10 - 50 °C

Do not store together with oxidizing and acidic materials.

Requirements to be Met by Storerooms and Receptacles: Observe all local and national regulations for storage of water polluting products.

7.3 Specific End Use(s)

No further relevant information available.

Section 8: Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Phenol, styrenated 61788-44-1	Not Established	Not Established	Not Established
Propylene glycol diamine, 2- amino-, diether with Propylene 9046-10-0	Not Established	3 mg/m3 (respirable fraction)	Not Established
2,4,6-Tri (dimethylaminomethyl) phenol 90-72-2	Not Established	Dermal rat: 125 mg/kg	Not Established
Isophorone diamine 2855-13-2	Not Established	Not Established	Not Established
1-(2-Aminoethyl) piperazine 140-31-8	Not Established	Not Established	Not Established

8.1 General Protective and Hygienic Measures

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working

Keep away foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin

8.2 Personal Protective Equipment

Eye Protection: Safety glasses with side shields. If splashes are likely to occur, wear goggles.

Respiratory Protection: Use suitable respirator protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

<u>Protection of Hands:</u> Protective gloves: to avoid skin problems, the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. <u>Material of Gloves:</u> Neoprene, butyl rubber gloves, the selection of the suitable gloves does not only depend on the material, but also on the further marks of quality and varies from manufacturer to manufacturer several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. <u>Penetration time of Glove Material</u>: Protective gloves should be replaced at the first signs of wear. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Additional Information: The lists that were valid during the creation were used as a basis.

Section 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance: Yellowish Yellowish

Melting Point Undetermined

Explosion Limits Lower: 1.2 Vol%

WPG 8.26 lbs./gal

Odor: Amine-like

Vapor Pressure Not Determined

Boiling Point > 200 C

VISCOSITY:BROOK 120 cP

Section 10: Stability and Reactivity

10.1 Reactivity

Stable under recommeded storage conditions. No decomposition if stored and applied as directed.

UNSTABLE

10.2 Chemical Stability

No decomposition if stored and applied as directed.

No data available

10.3 Possibility of Hazardous Reactions

No data available

Hazardous polymerization will not occur.

Section 11: Toxicological Information

Mixture Toxicity

Oral Toxicity LD50: 73mg/kg Dermal Toxicity LD50: 35mg/kg

Component Toxicity

90-72-2 2,4,6-Tri(dimethylaminomethyl)phenol

Oral LD50: 1,200 mg/kg (Rat) Dermal LD50: 1,280 mg/kg (Rat)

140-31-8 1-(2-Aminoethyl) piperazine

Oral LD50: 2,140 µL/kg (Rat) Dermal LD50: 880 µL/kg (Rabbit)

11.1 Information on Toxicological Effects

Routes of Entry:

Ingestion

Target Organs:

No data available

Effects of Overexposure

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

CAS NumberDescription% WeightCarcinogen RatingNoneNo data available

Section 12: Ecological Information

12.1 Persistence and Degradability

Product: No further relevant information available

12.2 Bioaccumulative Potential

Product: Bioaccumulation: No further relevant information available

Partition coefficient: n-octanol/water: No further relevant information available

12.3 Mobility in Soil

<u>Product:</u> Distribution among environmental compartments: No further relevant information available.

Additional Ecological Information:

General notes: German Hazard Water Class 1

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.4 Results of PBT and vPvB Assessment

Assessment: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

12.5 Other Adverse Effects

Product: No further relevant information available

12.6 Toxicity

Component Ecotoxicity

Isophorone diamine 48 Hr EC50 Daphnia magna: 14.6 - 21.5 mg/L [semi-static]

72 Hr EC50 Desmodesmus subspicatus: 37 mg/L

1-(2-Aminoethyl) piperazine 96 Hr LC50 Pimephales promelas: 1950 - 2460 mg/L [flow-through]; 96 Hr LC50

Poecilia reticulata: >1000 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss:

>=100 mg/L [semi-static]

48 Hr EC50 Daphnia magna: 32 mg/L

72 Hr EC50 Pseudokirchneriella subcapitata: 495 mg/L

Section 13: Disposal Considerations

13.1 Waste Treatment Methods

<u>Product:</u> The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches the chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company. Send to a licensed waste management company.

<u>Contaminated Packaging:</u> Empty remaining contents. Dispose of as unused product. Do not re-use empty containers

Section 14: Transport Information

14.1 UN Number

SDS for: MV EPOXY PRIMER Part B Page 6 of 8

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
ADR	Alkylphenols, liquid, N.O.S. (contains Nonylphenol)	UN3145	III	8
DOT	Alkylphenols, liquid, N.O.S. (contains Nonylphenol)	UN3145	III	8
EMS	Number: F-A, S-B			
IATA	Alkylphenols, liquid, N.O.S. (contains Nonylphenol)	UN3145	III	8
IMDG	Alkylphenols, liquid, N.O.S. (contains Nonylphenol)	UN3145	III	8
TDG	Alkylphenols, liquid, N.O.S. (contains Nonylphenol)	UN3145	III	8

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prop 65 - Chemicals Known to Cause Developmental Toxicity

- None

Prop 65 - Chemicals Known to Cause Cancer:

- None

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

- None

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

None

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

- None

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

- None

- None

TSCA (Toxic Substances Control Act)

- None

Country Regulation All Components Listed

USA Inventory - United States - Section 8(b) Inventory (TSCA) Yes

Korea KECL (Korean Existing Chemical and Chemical Substance Yes

New Zealand NZIoC (New Zealand Inventory of Chemicals) Yes

EU Risk Phrases

Safety Phrase

- None

Section 16: Other Information

DISCLAIMER

THE INFORMATION CONTAINED HEREIN WAS RECEIVED FROM OUR RAW MATERIAL SUPPLIERS AND OTHER SOURCES. ULTRA DURABLE TECHNOLOGIES MAKES NO EXPRESS OR IMPLIED WARRANTIES REGARDING THE ACCURACY OF THE ABOVE INFORMATION AND YOU SHOULD NOT RELY ON IT. YOU SHOULD TEST THIS PRODUCT FOR CHEMICAL COMPOSITION AND CONSULT APPLICABLE SAFETY AND MEDICAL STANDARDS AND PROFESSIONAL RELATED THERETO. ULTRA DURABLE TECHNOLOGIES DOES NOT WARRANT THE SUITABILITY OF THE PRODUCT FOR ANY APPLICATION BY THE USER, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

Reviewer Revision

Date Prepared: 2/24/2023