

# Product Catalog



**ULTRA DURABLE**  
**TECHNOLOGIES**  
*Manufacturing Innovative Coatings*

## MC = Multi-Color and Multi-Cure

- Excellent Concrete Adhesion
- Color With UltraColor E/P Liquid pigment
- Perfect for Metallics
- Low Odor & Versatile
- Long Recoat Windows



### SOLUTIONS FOR:

- Chips, Quartz, & Metallics
- Solid-Colored Epoxy
- Dyed Concrete
- Grind & Seal

### AVAILABLE IN MULTIPLE FORMULATIONS:

- MC Epoxy Standard Cure
- MC Epoxy Fast Cure
- MC-UV Epoxy - *for higher UV resistance*







## Chip Flake Systems



## Full Flake & Ultra HTS Full Flake Systems




## BACKBONE OF CHIP FLAKE SYSTEMS


### Grind, Prime & Seal



### Grind, Clear Prime & Seal



### Grind, Color Prime & Seal




## VISUALLY APPEALING & STRONG


### Solid-Colored Epoxy



### Solid Color Broadcast System



### Decorative Quartz Broadcast System




## CUSTOMIZE WITH ULTRACOLOR E/P

### Decorative & Durable Metallics



### Metallic System



## CARRIES METALLIC PIGMENT

## UltraSpartic® Coatings That Fill All Your Needs

- 1 Brand, 3 Great Formulas
- DOT and IATA (air) non-regulated
- Extremely Durable & Chemical Resistant
- Resists Hot Tire Damage/ Staining
- Non-yellowing/UV-stable
- Tintable with UltraColor E/P Pigments



### SOLUTIONS FOR:

- Chip Flakes
- Solid-Colored
- Quartz Floors
- Ultra-Clear

### AVAILABLE IN MULTIPLE FORMULATIONS:

- US 85-EXT
- US 85-FAST
- US-100





WITH ITS LONG WORKING TIME, **ULTRAPARTIC 85-EXT (US85-EXT)** IS IDEAL FOR LARGE JOBS AND WARM AND/OR HUMID ENVIRONMENTS.



- SOLIDS LEVEL: 85%
- DRY TIME: 8 HOURS
- WORKING TIME: 25 MINUTES
- VISCOSITY: LOW (150 CPS)
- PACKAGING: 2-GALLON AND 10-GALLON KITS
- MIXING RATIO: 1:1

**ULTRAPARTIC 85-FAST (US85-FAST)** DRIES QUICKLY, MAKING IT PERFECT FOR FAST RECOATING AND/OR RETURN-TO-SERVICE TIMES, COLD TEMPERATURES, AND DRY CLIMATES.



- SOLIDS LEVEL: 85%
- DRY TIME: 2 HOURS
- WORKING TIME: 12 MINUTES
- VISCOSITY: LOW (150 CPS)
- PACKAGING: 2-GALLON AND 10-GALLON KITS
- MIXING RATIO: 1:1

ITS EXTREMELY LOW ODOR AND VOCs MAKE **ULTRAPARTIC 100 (US100)** UNIQUE AND VERSATILE FOR A VARIETY OF APPLICATIONS.



- SOLIDS LEVEL: 99%
- DRY TIME: 5 HOURS
- WORKING TIME: 15 MINUTES
- VISCOSITY: MEDIUM (850 CPS)
- PACKAGING: 3-GALLON AND 15-GALLON KITS
- MIXING RATIO: 2:1

**ULTRACOLOR E/P OFFERS A VARIETY OF COLOR OPTIONS!**



UltraSpartics may be pigmented with UltraColor E/P Pigment Packs to achieve a solid-colored primer, body coat, or topcoat.

# ULTRA HTS HIGH-SOLIDS URETHANE

## Maximum Protection For Your Investment

- Extreme Chemical Resistance
- User-friendly Application
- 100% Aliphatic/Non-Yellowing
- Low Odor/Low VOC (50 states)
- Satin/Semi-Gloss Finish



### TOPCOAT SOLUTIONS FOR:

- Gray Concrete
- Colored Epoxy
- Dyed Concrete
- Chips, Quartz, Metallics

### AVAILABLE IN THE FOLLOWING SIZES:


- 1.5 Gal Kit  
(Parts A, B & C: Coverage = 650-750 SF)
- 1.25 Gal Kit  
(Parts A & B only: Coverage = 650-750 SF)
- Demo Kit  
(Parts A, B & C: Coverage = 50-75 SF)

\* Part C additive creates a semi-gloss appearance with higher traction







## Ultra HTS Grind, Prime & Seal




## IT'S OK TO GO GRAY!




## Ultra HTS Grind, Dye & Seal



## NATURAL DYED CONCRETE



## Ultra HTS Color Prime & Seal



## INDUSTRIAL COLORED CONCRETE



## Make Floors EPIC® With Just One Coat

- Renew and Restore vs. Wax
- Eliminate Stripping & Buffing
- Avoid Grinding & Polishing
- Minimize Chemical & Solid Waste
- Dramatically Reduce Maintenance



### EPIC SOLUTIONS FOR:

- LVT/Vinyl
- VCT
- Tile & Grout
- Linoleum
- Concrete
- Terrazzo

### AVAILABLE IN THE FOLLOWING SHEENS:

- High Gloss
- Matte
- Semi-Gloss (Add UDT Aggregate)







EPIC Gloss with 240 Aggregate

## LVT / Sheet Vinyl / VCT / Linoleum

- Eliminate Waxing, Buffing & Stripping
- Restore and Renew vs. Replace
- Enhance and Improve Cleanability



EPIC Gloss with Bond Promoter

## Tile & Grout

- Eradicate Odors
- Easily Clean Grout
- Increase DCOF in Slippery Areas



EPIC Gloss

## Terrazzo

- Eliminate Grinding and Polishing
- Enhance the Beauty
- Expect 3-5 years with 1 Coat



EPIC Matte

## Concrete

- Incredible Chemical Resistance
- No Grinding Needed
- Bonds to Polished Concrete