

SAFETY DATA SHEET

Revision Date 24-Feb-2023

1. IDENTIFICATION

Product identifier Product Name

MC Epoxy Standard Cure Part B

Other means of identificationProduct Code2UN/ID no0SKU(s)2

250502 UN1719 250102, 250502

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address ULTRA DURABLE TECHNOLOGIES 355 6th Ave N Waite Park, MN 56387

320-258-2266 Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION


Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Flammable liquids	Category 4

Emergency Overview



Appearance	No information available	Physical state	Liquid	Odor	No information available

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Very toxic to aquatic life with long lasting effects

• Very toxic to aquatic life Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
4-Nonyl-Phenol, Branched	84852-15-3	15 - 40	*
Polyoxypropylenediamine	9046-10-0	15 - 40	*
2-Methylpentamethylenediamine	15520-10-2	10 - 30	*
Bis A, Epichlorohydrin Epoxy	25068-38-6	5 - 10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

If symptoms persist, call a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

	persist, call a physician.	
Skin Contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled	

containers. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions	for safe	handling
<u>i iccuulions</u>	IOI Suic	nununing

Advice on safe handling	Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d
	962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
---------------------	-------------------------------

Skin and body protection No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property	<u>Values</u>	Remarks • Method	

pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Explosive properties Oxidizing properties	No information available No information available >= $34 \ ^{\circ}C \ / \ 93 \ ^{\circ}F$ 83 $\ ^{\circ}C \ / \ 181 \ ^{\circ}F$ No information available No information available
Softening point	No information available
Molecular weight	No information available
Liquid Density	7.90 lbs/gal
Bulk density	No information available
Percent solids by weight	99.5%
Percent volatile by weight	0.5%
Percent solids by volume	99.5%
Actual VOC (lbs/gal)	0
Actual VOC (grams/liter)	4.7
EPA VOC (grams/liter)	0
EPA VOC (grams/liter)	4.7
EPA VOC (lb/gal solids)	0

10. STABILITY AND REACTIVITY

Reactivity

No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Information on likely routes of exposure

Chemical name	Oral LD50	Dermal LD50 Inhalation LC50		
4-Nonyl-Phenol, Branched 84852-15-3	= 1300 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-	
Polyoxypropylenediamine 9046-10-0	= 242 mg/kg (Rat)	= 360 mg/kg (Rabbit)	-	
2-Methylpentamethylenediamine 15520-10-2	= 1170 mg/kg (Rat)	-	= 4.1 mg/L (Rat)1 h = 2.9 mg/L (Rat)1 h	
Bis A,Epichlorohydrin Epoxy 25068-38-6	= 11400 mg/kg (Rat)	-	-	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity	No information available. No information available.		
Carcinogenicity	No information available.		
IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as a human carcinogen			
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure Aspiration hazard	No information available. No information available.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

Very toxic to aquatic life with long lasting effects

15.37% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea	
4-Nonyl-Phenol, Branched	0.36 - 0.48: 96 h	0.135: 96 h Pimephales promelas	0.14: 48 h Daphnia magna mg/L	
84852-15-3	Pseudokirchneriella subcapitata	mg/L LC50 flow-through 0.1351: 96	EC50	
	mg/L EC50 static 1.3: 72 h	h Lepomis macrochirus mg/L LC50		
	Desmodesmus subspicatus mg/L	flow-through		
EC50 0.16 - 0.72: 72 h				
	Pseudokirchneriella subcapitata			
	mg/L EC50 static			

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available			
	13. DISPOSAL CONSIDERATIONS			
Waste treatment methods				
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.			
Contaminated packaging	Do not reuse container.			
US EPA Waste Number	U055 U239			

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN1719
Proper shipping name	Caustic alkali liquid, n.o.s.
Hazard class	8
Packing Group	III
Reportable Quantity (RQ)	(Xylene: RQ (kg)= 45.40)
Special Provisions	IB3, T7, TP1, TP28
Marine pollutant	This product contains a chemical which is listed as a marine pollutant according to DOT.
Description	UN1719, Caustic alkali liquids, n.o.s. (Polyoxypropylenediamine), 8, III, Marine pollutant
Emergency Response Guide	154
Number	
TDG	
UN/ID no	UN1719
Proper shipping name	Caustic alkali liquid, n.o.s.
Hazard class	8
Packing Group	III
Special Provisions	16
Description	UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III
MEXUN/ID no	
	UN1719
Proper shipping name	Caustic alkali liquid, n.o.s.
Hazard class	8
Special Provisions	223, 274
Packing Group	 N1740 - Ocustia alkali limiid a c.a. (Dahaan maaadan a diamina) O.
Description	UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III
<u>ICAO (air)</u> UN/ID no	UN1719
Proper shipping name	Caustic alkali liquid, n.o.s.
Hazard class	8

Packing Group Special Provisions Description	III A3 UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III
IATA_ UN Number Proper shipping name Transport hazard class(es) Packing Group ERG Code Special Provisions Description	UN1719 Caustic alkali liquid, n.o.s. 8 III 8L A3, A803 UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III
IMDG UN Number Transport hazard class(es) Packing Group EmS-No Special Provisions Description	UN1719 8 III F-A, S-B 223, 274 UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III
<u>RID</u> UN/ID no Proper shipping name Transport hazard class(es) Packing Group Classification code Special Provisions Description Labels	UN1719 Caustic alkali liquid, n.o.s. 8 III C5 274 UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III 8
ADR UN Number Proper shipping name Transport hazard class(es) Packing Group Classification code Tunnel restriction code Special Provisions Description Labels	UN1719 Caustic alkali liquid, n.o.s. 8 III C5 (E) 274 UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III, (E) 8
ADN Proper shipping name Transport hazard class(es) Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ) Equipment Requirements	Caustic alkali liquid, n.o.s. 8 III C5 274 UN1719, Caustic alkali liquid, n.o.s. (Polyoxypropylenediamine), 8, III 8 5 L PP, EP

15. REGULATORY INFORMATION International Inventories Complies TSCA Complies DSL/NDSL Complies EINECS/ELINCS Does not comply

ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
4-Nonyl-Phenol, Branched	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65		
Ethyl Benzene - 100-41-4	Carcinogen		
Cumene - 98-82-8	Carcinogen		
Propylene oxide - 75-56-9	Carcinogen		

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Xylene	Х	Х
1330-20-7		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 3	Flammability	2	Instability 0		Physical and chemical properties -
<u>HMIS</u> Chronic Hazard Star Le	Health hazards 3 * egend * = Chror	Flammability	2	Physical hazards	0	Personal protection X

Revision Date Revision Note No information available Disclaimer

24-Feb-2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet