

# Product Catalog



**ULTRA DURABLE**  
**TECHNOLOGIES**  
*Manufacturing Innovative Coatings*



# ULTRA DURABLE TECHNOLOGIES

*Manufacturing Innovative Coatings*

## UDT CORE FOCUS

### OUR PURPOSE:

To develop sustainable relationships and products

### OUR NICHE:

Manufacturing innovative coatings for a  
more sustainable future

### OUR VALUES:

Service is #1  
Deliver Consistent and Reliable Products  
Value Innovation  
Strive for Excellence

## UDT HISTORY

Ultra Durable Technologies (UDT) is a Waite Park, Minnesota, company that has been manufacturing innovative coatings since 2008. UDT sets itself apart in the industry by being a private, family-owned company that provides distributors with high-quality, contractor-grade coatings and finishes at competitive prices.

The company ensures that its products are consistent, reliable, durable, and sustainable. UDT prides itself on excellent customer service and its extensive industry and product knowledge. We take pride in our innovative products by ensuring consistency, reliability, durability, and sustainability along with our employees who provide exceptional service to our distributors. Our products are ideal for concrete, terrazzo, VCT, LVT/LVP, tile and grout, and linoleum.

We provide distributors across the United States with a variety of floor coatings solutions including urethanes, epoxies, polyaspartics, and polyureas.

[ULTRADT.COM](http://ULTRADT.COM)

EMAIL

CORPORATE HEADQUARTERS



800-722-2998

[Info@UltraDT.COM](mailto:Info@UltraDT.COM)

355 6th Avenue North  
Waite Park, MN 56387

## MC = Multi-Color and Multi-Cure

- Excellent Concrete Adhesion
- Color With UltraColor E/P Liquid pigment
- Perfect for Metallics
- Low Odor & Versatile
- Long Recoat Windows



### SOLUTIONS FOR:

- Chips, Quartz, & Metallics
- Solid-Colored Epoxy
- Dyed Concrete
- Grind & Seal

### AVAILABLE IN MULTIPLE FORMULATIONS:



- MC Epoxy Standard Cure
- MC Epoxy Fast Cure
- MC-UV Epoxy - *for higher UV resistance*



## Chip Flake Systems




## Full Flake & Ultra HTS Full Flake Systems




## BACKBONE OF CHIP FLAKE SYSTEMS


### Grind, Prime & Seal



### Grind, Clear Prime & Seal



### Grind, Color Prime & Seal




## VISUALLY APPEALING & STRONG


### Solid-Colored Epoxy



### Solid Color Broadcast System



### Decorative Quartz Broadcast System




## CUSTOMIZE WITH ULTRACOLOR E/P

### Decorative & Durable Metallics



### Metallic System



## CARRIES METALLIC PIGMENT

## UltraSpartic® Coatings That Fill All Your Needs

- 1 Brand, 3 Great Formulas
- DOT and IATA (air) non-regulated
- Extremely Durable & Chemical Resistant
- Resists Hot Tire Damage/ Staining
- Non-yellowing/UV-stable
- Tintable with UltraColor E/P Pigments



### SOLUTIONS FOR:

- Chip Flakes
- Solid-Colored
- Quartz Floors
- Ultra-Clear

### AVAILABLE IN MULTIPLE FORMULATIONS:

- US 85-EXT
- US 85-FAST
- US-100



WITH ITS LONG WORKING TIME, **ULTRASPARTIC 85-EXT (US85-EXT)** IS IDEAL FOR LARGE JOBS AND WARM AND/OR HUMID ENVIRONMENTS.



- SOLIDS LEVEL: 85%
- DRY TIME: 8 HOURS
- WORKING TIME: 25 MINUTES
- VISCOSITY: LOW (150 CPS)
- PACKAGING: 2-GALLON AND 10-GALLON KITS
- MIXING RATIO: 1:1

**ULTRASPARTIC 85-FAST (US85-FAST)** DRIES QUICKLY, MAKING IT PERFECT FOR FAST RECOATING AND/OR RETURN-TO-SERVICE TIMES, COLD TEMPERATURES, AND DRY CLIMATES.



- SOLIDS LEVEL: 85%
- DRY TIME: 2 HOURS
- WORKING TIME: 12 MINUTES
- VISCOSITY: LOW (150 CPS)
- PACKAGING: 2-GALLON AND 10-GALLON KITS
- MIXING RATIO: 1:1

ITS EXTREMELY LOW ODOR AND VOCs MAKE **ULTRASPARTIC 100 (US100)** UNIQUE AND VERSATILE FOR A VARIETY OF APPLICATIONS.



- SOLIDS LEVEL: 99%
- DRY TIME: 5 HOURS
- WORKING TIME: 15 MINUTES
- VISCOSITY: MEDIUM (850 CPS)
- PACKAGING: 3-GALLON AND 15-GALLON KITS
- MIXING RATIO: 2:1

**ULTRACOLOR E/P OFFERS A VARIETY OF COLOR OPTIONS!**



UltraSpartics may be pigmented with UltraColor E/P Pigment Packs to achieve a solid-colored primer, body coat, or topcoat.

# ULTRA HTS HIGH-SOLIDS URETHANE

## Maximum Protection For Your Investment

- Extreme Chemical Resistance
- User-friendly Application
- 100% Aliphatic/Non-Yellowing
- Low Odor/Low VOC (50 states)
- Satin/Semi-Gloss Finish



### TOPCOAT SOLUTIONS FOR:

- Gray Concrete
- Colored Epoxy
- Dyed Concrete
- Chips, Quartz, Metallics

### AVAILABLE IN THE FOLLOWING SIZES:

- 1.5 Gal Kit  
(Parts A, B & C: Coverage = 650-750 SF)
- 1.25 Gal Kit  
(Parts A & B only: Coverage = 650-750 SF)
- Demo Kit  
(Parts A, B & C: Coverage = 50-75 SF)

\* Part C additive creates a semi-gloss appearance with higher traction




## Ultra HTS Grind, Prime & Seal





## IT'S OK TO GO GRAY!




## Ultra HTS Grind, Dye & Seal




## NATURAL DYED CONCRETE



## Ultra HTS Color Prime & Seal



## INDUSTRIAL COLORED CONCRETE





## Make Floors EPIC® With Just One Coat

- Renew and Restore vs. Wax
- Eliminate Stripping & Buffing
- Avoid Grinding & Polishing
- Minimize Chemical & Solid Waste
- Dramatically Reduce Maintenance



### EPIC SOLUTIONS FOR:

- LVT/Vinyl
- VCT
- Tile & Grout
- Linoleum
- Concrete
- Terrazzo

### AVAILABLE IN THE FOLLOWING SHEENS:

- High Gloss
- Matte
- Semi-Gloss (Add UDT Aggregate)





EPIC Gloss with 240 Aggregate

## LVT / Sheet Vinyl / VCT / Linoleum

- Eliminate Waxing, Buffing & Stripping
- Restore and Renew vs. Replace
- Enhance and Improve Cleanability



EPIC Gloss with Bond Promoter

## Tile & Grout

- Eradicate Odors
- Easily Clean Grout
- Increase DCOF in Slippery Areas



EPIC Gloss

## Terrazzo

- Eliminate Grinding and Polishing
- Enhance the Beauty
- Expect 3-5 years with 1 Coat



EPIC Matte

## Concrete

- Incredible Chemical Resistance
- No Grinding Needed
- Bonds to Polished Concrete

# Speedy Polyurea Solutions for Concrete Floors

- One-Day Garage Floors
- Rapid Dry Times
- Extremely Low Odor
- Non-hazardous DOT & IATA
- Excellent Pigment Stability



## SOLUTIONS FOR:

- Chip Flakes
- Quartz Broadcasts
- Primer Coats



# UDT SUMMER POLYUREA IS IDEAL FOR APPLICATIONS IN WARM AND/OR HUMID ENVIRONMENTS.

- **WORKING TIME: 20 MINUTES (70°F / 50% RH)**
- **CHIP SCRAPE TIME: 1.5 HOURS (70°F / 50% RH)**
- **VISCOSITY: 750 CPS**
- **PACKAGING: 3-GALLON AND 15-GALLON KITS**
- **MIXING RATIO: 2:1**
- **SOLIDS LEVEL: 100%**



# UDT WINTER POLYUREA IS IDEAL FOR COLD TEMPERATURE APPLICATIONS. WINTER MAY BE BLENDED WITH SUMMER TO OBTAIN DESIRED DRY TIMES.

- **SOLIDS LEVEL: 100%**
- **WORKING TIME: 15 MINUTES (50°F / 50% RH)**
- **CHIP SCRAPE TIME: 1.5 HOURS (50°F / 50% RH)**
- **VISCOSITY: 750 CPS**
- **PACKAGING: 3-GALLON AND 15-GALLON KITS**
- **MIXING RATIO: 2:1**
- **SOLIDS LEVEL: 100%**

