

1. IDENTIFICATION

Product identifier

Product Name MC Epoxy Fast Cure Part B

Other means of identification

Part Number(s) 250250, 250650, 256503

Recommended use of the chemical and restrictions on use

Recommended use No information available

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ULTRA DURABLE TECHNOLOGIES
355 6th Ave. North
Waite Park, MN 56387
320-258-2266

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2

Danger



Hazard statements

Harmful if swallowed.
Toxic in contact with skin.
Causes severe skin burns and eye damage.
May cause genetic defects.
May cause cancer.
Suspected of damaging fertility or the unborn child.

Precautionary Statements**Prevention:**

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Use personal protective equipment as required.
 Wash face, hands and any exposed skin thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Do not breathe dust/fume/gas/mist/vapors/spray.

Response:

Immediately call a POISON CENTER or doctor/physician.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 Wash contaminated clothing before reuse.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 Rinse mouth.
 Do NOT induce vomiting.

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)**Other Information**

- Very toxic to aquatic life with long lasting effects
- Very toxic to aquatic life

Unknown acute toxicity 9.45% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
4-Nonyl-Phenol, Branched	84852-15-3	10 - 30	*
Polyoxypropylenediamine	9046-10-0	10 - 30	*
4-tert-butylphenol	98-54-4	10 - 30	*
m-Xylene, Diamine	1477-55-0	7 - 13	*
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (TMD)	25513-64-8	5 - 10	*
Aromatic 100	64742-95-6	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**Description of first aid measures****Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact

Wash skin with soap and water.

Inhalation

Remove to fresh air.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
m-Xylene, Diamine 1477-55-0	S* Ceiling: 0.1 mg/m3	(vacated) S* (vacated) Ceiling: 0.1 mg/m3	Ceiling: 0.1 mg/m3

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls**Engineering Controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Tight sealing safety goggles.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Odor	No information available
Odor threshold	No information available
Color	No information available
<u>Property Values</u>	<u>Values</u>
pH	No information available
Melting point / freezing point	No information available
Boiling point / boiling range	>= 34 °C / 93 °F
Flash point	> 94 °C / > 201 °F
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	0.96
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

Remarks • Method

Other Information

Softening point	No information available
Molecular weight	No information available
Liquid Density	8.03 lbs/gal
Bulk density	No information available
Percent solids by weight	98.0%
Percent volatile by weight	2.0%
Percent solids by volume	97.8%
Actual VOC (lbs/gal)	0.2
Actual VOC (grams/liter)	19.2
EPA VOC (lbs/gal)	0.2
EPA VOC (grams/liter)	19.2
EPA VOC (lb/gal solids)	0.2

10. STABILITY AND REACTIVITY**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
4-Nonyl-Phenol, Branched 84852-15-3	= 1300 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-
Polyoxypropylenediamine 9046-10-0	= 242 mg/kg (Rat)	= 360 mg/kg (Rabbit)	-
4-tert-butylphenol 98-54-4	= 4000 mg/kg (Rat)	= 2318 mg/kg (Rabbit)	-
m-Xylene, Diamine 1477-55-0	= 660 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 700 ppm (Rat) 1 h
Aromatic 100 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	May cause adverse liver effects.
Target organ effects	Eyes, kidney, liver, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

Very toxic to aquatic life with long lasting effects

21.15% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
4-Nonyl-Phenol, Branched 84852-15-3	0.36 - 0.48: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 1.3: 72 h Desmodesmus subspicatus mg/L EC50 0.16 - 0.72: 72 h Pseudokirchneriella subcapitata mg/L EC50 static	0.135: 96 h Pimephales promelas mg/L LC50 flow-through 0.1351: 96 h Lepomis macrochirus mg/L LC50 flow- through	0.14: 48 h Daphnia magna mg/L EC50
4-tert-butylphenol 98-54-4	11.2: 72 h Desmodesmus subspicatus mg/L EC50	4.71 - 5.62: 96 h Pimephales promelas mg/L LC50 flow- through 6.9: 96 h Cyprinus carpio mg/L LC50 static	3.9: 48 h Daphnia magna mg/L EC50 3.4 - 4.5: 48 h Daphnia magna mg/L EC50 Static
Aromatic 100 64742-95-6	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	6.14: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available

Chemical name	Partition coefficient
4-tert-butylphenol 98-54-4	2.44

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number U055 U239

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN3066
Proper shipping name	Paint related material
Hazard class	8
Packing Group	II
Special Provisions	B2, IB2, T7, TP2, TP28
Marine pollutant	This product contains a chemical which is listed as a marine pollutant according to DOT.
Description	UN3066, Paint related material, 8, II, Marine pollutant
Emergency Response Guide Number	153

TDG

UN/ID no	UN3066
Proper shipping name	Paint related material
Hazard class	8
Packing Group	II
Special Provisions	59
Description	UN3066, Paint related material, 8, II

MEX

UN/ID no	UN3066
Proper shipping name	Paint-related material
Hazard class	8
Special Provisions	163
Packing Group	II
Description	UN3066, Paint-related material, 8, II

ICAO (air)

UN/ID no	UN3066
Proper shipping name	Paint related material
Hazard class	8
Packing Group	II
Special Provisions	A3, A72
Description	UN3066, Paint related material, 8, II

IATA

UN Number	UN3066
Proper shipping name	Paint related material
Transport hazard class(es)	8
Packing Group	II
ERG Code	8L
Special Provisions	A3, A72, A803
Description	UN3066, Paint related material, 8, II

IMDG

UN Number	UN3066
Transport hazard class(es)	8
Packing Group	II
EmS-No	F-A, S-B
Special Provisions	163
Description	UN3066, Paint related material, 8, II

RID

UN/ID no	UN3066
Proper shipping name	Paint related material

Transport hazard class(es) 8
Packing Group II
Classification code C9
Special Provisions 163
Description UN3066, Paint related material, 8, II
Labels 8

ADR

UN Number UN3066
Proper shipping name Paint related material
Transport hazard class(es) 8
Packing Group II
Classification code C9
Tunnel restriction code (E)
Special Provisions 163
Description UN3066, Paint related material, 8, II, (E)
Labels 8

ADN

Proper shipping name Paint related material
Transport hazard class(es) 8
Packing Group II
Classification code C9
Special Provisions 163
Description UN3066, Paint related material, 8, II
Hazard label(s) 8
Limited quantity (LQ) 1 L
Equipment Requirements PP, EP

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Does not comply
ENCS Does not comply
IECSC Complies
KECL Does not comply
PICCS Does not comply
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
4-Nonyl-Phenol, Branched	1.0

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No

Fire hazard No
 Sudden release of pressure hazard No
 Reactive Hazard No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Ethyl Benzene - 100-41-4	Carcinogen
Cumene - 98-82-8	Carcinogen
Propylene oxide - 75-56-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
m-Xylene, Diamine 1477-55-0	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and chemical properties -
HMIS Health hazards 3 * Flammability 1 Physical hazards 0 Personal protection X
Chronic Hazard Star Legend * = Chronic Health Hazard

Preparation Date 01-Jan-2023
 Revision Date 18-Jan-2024
 Revision Note General formatting changes.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet