

## 1. IDENTIFICATION

**Product identifier**

**Product Name** UDT Summer/Winter Polyurea Part A

**Other means of identification**

**Part Number(s)**

Summer Medium Tan and Mineral Gray: 234000, 234010, 234500, 234510, 234600, 234610  
 Winter Medium Tan and Mineral Gray: 234030, 234031, 234530, 234531, 234630, 234631

**Recommended use of the chemical and restrictions on use**

**Recommended use** For professional use only  
**Uses advised against** Consumer use.

**Details of the supplier of the safety data sheet**

**Manufacturer Address**

Ultra Durable Technologies  
 355 6<sup>th</sup> Ave. North  
 Waite Park, MN 56387  
 320-258-2266  
 Ultradt.com

**Emergency telephone number**

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

**Classification**

Skin Irritant	Category 2
Eye Irritant	Category 2
Acute Inhalation Toxicity	Category 4



**Signal Word** Warning

**Hazard statements:**

Causes skin irritation.  
 Causes serious eye irritation.  
 Harmful if inhaled.

**Precautionary Statements – Prevention:**

Wash hands and skin thoroughly after handling.  
 Wear protective gloves, eye protection, and face protection.  
 Avoid breathing fumes/mist/vapors/spray.  
 Use only outdoors or in a well-ventilated area.

**Precautionary Statements - Response:**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, seek medical help.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If irritation persists: Get medical help.

IF IHHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if symptoms persist.

**Precautionary Statements - Storage:**

Store in a well-ventilated place.

Store tightly closed.

**Precautionary Statements - Disposal:**

Dispose of contents/container in accordance with local and regional regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Castor Oil	8001-79-4	60 - 80
Color Dispersion containing Titanium Dioxide	13463-67-7	10 - 30
Zeolite Powder	1318-02-1	1 - 5
3-glycidyl-oxypropyl-trimethoxy-silane	2530-83-8	0.1 – 1

**Trade Secret statement (OSHA 1910.1200(i))** Specific chemical identities and concentrations for one or more listed chemicals are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

### 4. FIRST AID MEASURES

**Description of first aid measures****Eye Contact**

Rinse eyes thoroughly with running water for at least 15 minutes, lifting upper and lower eyelids as able. Remove contact lenses if easy to do and continue rinsing. Seek medical attention if irritation persists.

**Skin Contact**

Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse or discard. Seek medical attention if irritation develops and persists.

**Inhalation**

Remove victim to fresh air and keep comfortable for breathing. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**Ingestion**

If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

**Most important symptoms and effects, both acute and delayed**

Pre-existing skin or respiratory conditions may be aggravated

**Special instructions for Physicians**

Treat symptomatically

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Foam. Halon. Carbon Dioxide. Dry Chemical. Class "C" extinguishers. Water

**Unsuitable extinguishing media**

No information available.

**Specific hazards arising from the chemical**

No information available

**Protective equipment and precautions for fire-fighters**

Evacuate area. Eliminate all ignition sources if safe to do so. Exercise caution when fighting any chemical fire. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Keep containers cool by spraying with water if exposed to fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation, especially in confined areas.  
 Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene.  
 Avoid breathing fumes, mist, vapor, or spray.

**Environmental precautions**

Avoid release to the environment. Do not allow product to enter drains, sewers, public water, surface water, or groundwater. If contact is made, notify authorities.

**Methods and material for containment and cleaning up**

Use personal protective equipment as required. Stop flow of material if able to do so safely. Contain discharged material. Absorb spill using absorbent, non-combustible material such as earth, sand, or vermiculite. Take up mechanically to an appropriate disposal container. Dispose of in accordance with local, state, and federal regulations. Scrub residues with detergent-water mix and allow to air dry.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

Wear appropriate personal protective equipment – gloves, safety glasses, appropriate clothing. Wash hands thoroughly after use. Practice good industrial hygiene when using product.

**Conditions for safe storage, including any incompatibilities**

**Storage conditions**

Store in a cool, dry place away from direct sunlight. Store locked up. Keep container tightly closed when not in use.

**Incompatible materials**

No information available

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls**

The use of local exhaust ventilation is recommended. Eyewash stations, chemical showers recommended.

**Exposure Guidelines**

Chemical Name	STEL	ACGIH TLV	OSHA TWA
Castor Oil	Not established	Not established	Not established
Color Dispersion containing Titanium Dioxide (Gray)	Not established	Not established	Not established
Zeolite Powder	Not established	Not established	Not established
3-glycidyl-oxypropyl-trimethoxy-silane	Not established	Not established	Not established
Dibutyltin dilaurate	0.2 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Protective Eyewear (chemical goggles). Face shield if splash hazard exists.

**Skin and Body Protection** Gloves. Protective clothing.

**Respiratory Protection** If adequate ventilation is not available, wear appropriate respirator for specific circumstances and with exposure guidelines in mind.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practices.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state</b>	Liquid
<b>Color</b>	May be opaque tan or opaque gray
<b>Odor</b>	Mild, sweet
<b>Melting point</b>	No information
<b>Boiling point</b>	No information
<b>Flammability</b>	Not applicable
<b>Upper flammability limit</b>	No information
<b>Lower flammability limit</b>	No information
<b>Flash point</b>	>93.3°C/ >200°F
<b>Autoignition Temperature</b>	No information
<b>Decomposition temperature</b>	No information
<b>pH</b>	No information
<b>Dynamic Viscosity</b>	No information
<b>Kinematic Viscosity</b>	No information
<b>Solubility</b>	Insoluble
<b>Partition coefficient n-octanol/water (Log Pow)</b>	No information
<b>Vapor pressure</b>	No information
<b>Density</b>	9.0 lbs/gal
<b>Relative Density</b>	No information

**10. STABILITY AND REACTIVITY**

**Reactivity**

This product is non-reactive under normal conditions of use, storage and transport.

**Chemical stability**

Stable under normal conditions.

**Hazardous reactions**

None under normal conditions of use.

**Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**Incompatible materials**

Strong oxidizing materials. Strong acids.

**Hazardous decomposition products**

Thermal decomposition products include oxides of carbon and possible harmful vapors.

**11. TOXICOLOGICAL INFORMATION**

**Information on Likely Routes of Exposure**

<b>Product Information</b>	No information
<b>Inhalation</b>	Inhalation of gas/mist/vapor
<b>Eye Contact</b>	Liquid material splash or gas/vapor/mist
<b>Skin Contact</b>	Liquid material splash
<b>Ingestion</b>	Liquid material

**Numerical Values of Toxicity – Component Information**

Chemical Name	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Castor Oil	--	--	--
Color Dispersion containing Titanium Dioxide (Gray)	>10,000 mg/kg (Rat)	>10,000 mg.kg (Rat)	3.43 mg/L (Rat, dust/mist)
Zeolite Powder	5,000 mg/kg (Rat)	>2,000 mg/kg (Rat)	2.4 mg/L (Rat, 1 hour)

3-glycidyl-oxypropyl-trimethoxy- silane	--	4,248 mg/kg (Rabbit)	5.3 mg/L (Rat, 4 hour, dust/mist)
---	----	-------------------------	--------------------------------------

<b>Skin Corrosion/Irritation</b>	Causes skin irritation
<b>Serious Eye Damage/Irritation</b>	Causes serious eye irritation
<b>Respiratory or Skin Sensitization</b>	Not classified
<b>Germ Cell Mutagenicity</b>	Not classified
<b>Carcinogenicity</b>	Not classified (CAS # 13463-67-7 is listed, but non-respirable in its present form)
<b>Reproductive Toxicity</b>	Not classified
<b>STOT – Single Exposure</b>	Not classified
<b>STOT – Repeated Exposure</b>	Not classified
<b>Aspiration Hazard</b>	Not classified

The following data has been calculated using the GHS document.

Chemical Name	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Summer/Winter Polyurea Part A	9,746 mg/kg	7,009 mg/kg	3.67 mg/L

<b>Acute Toxicity (oral)</b>	Not classified
<b>Acute Toxicity (dermal)</b>	Not classified
<b>Acute Toxicity (inhalation)</b>	Harmful if inhaled

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

This product is not considered harmful to aquatic organisms or to cause long-term adverse effects on the environment.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Castor Oil	--	--	--
Color Dispersion containing Titanium Dioxide (Gray)	--	--	--
Zeolite Powder	EC <sub>50</sub> = 18 mg/L (95h <i>Desmodesmus suspicatus</i> )	LC <sub>50</sub> = 1800 – 3200 mg/L (96h <i>Poecillia reticulata</i> ) LC <sub>50</sub> = 3200 – 5600 mg/L (96h <i>Oryzias latipes</i> ) LC <sub>50</sub> = 1800 mg/L (96h <i>Brachydanio rerio</i> )	EC <sub>50</sub> = 1000 – 1800 mg/L (48h <i>Daphnia magna</i> )
3-glycidyl-oxypropyl-trimethoxy- silane	--	--	--

Chemical Name	Algae/aquatic plants	Fish	Crustacea
UDT Polyurea Summer/Winter Part A	--	--	--

**Persistence and Degradability**

No information available

**Bioaccumulation Potential**

Chemical Name	Partition Coefficient n-octanol/water (Log P <sub>ow</sub> )
Castor Oil	Not established
Color Dispersion containing Titanium Dioxide (Gray)	Not established
Zeolite Powder	Not established
3-glycidyl-oxypropyl-trimethoxy- silane	-0.854

**Assessment**

Significant accumulation not expected.

**Mobility in Soil**

No information available

**Other adverse effects**

**Elimination information**

No information available

**Water hydrolysis**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national, and local laws and regulation. Do not discharge product into sewer system.

**Contaminated Packaging**

Do not reuse container.

**14. TRANSPORT INFORMATION**

**UN Number**

Not applicable

**UN Proper Shipping Name**

Not applicable

**Transport Hazard Class(es)**

**DOT**

Not applicable

**IOMDG**

Not applicable

**IATA**

Not applicable

**Packing Group**

**DOT**

Not applicable

**IMDG**

Not applicable

**IATA**

Not applicable

**Environmental Hazards**

None

**NOTE** Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100-177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

**15. REGULATORY INFORMATION**

**Chemical Inventories**

**TSCA**

All components of this product are listed on the TSCA Inventory or are exempted from listing.

**US Federal Regulations**

**SARA 313**

Section 313 of the Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372.

**SARA 311/312 Hazard Categories**

**Acute Health Hazard**

Yes

**Chronic Health Hazard**

No

**Fire Hazard**

No

**Sudden Release of Pressure Hazard**

No

**Reactive Hazard**

No

**Carcinogenicity**

No

**Respiratory or Skin Sensitization**

No

**Germ Cell Mutagenicity**

No

**Serious Eye Damage/Irritation**

Causes serious eye irritation

**US State Regulations**

California Proposition 65 – This product does not contain substances believed by the State of California to cause cancer, developmental, and/or reproductive harm.

State Right to Know – Massachusetts, New Jersey, Pennsylvania

**NFPA Hazard codes**

**Health**

1

**Fire**

1

**Reactivity**

0

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

Preparation Date	05-Oct-2023
Revision Date	14-Feb-2024
Revision Note	General formatting updates

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet