

# **SAFETY DATA SHEET**

**Revision Date** 30-April-2025

Version # 1.2

# 1. IDENTIFICATION

**Product identifier** 

Product Name UDT Tropical Polyurea Part A

Other means of Identification

**Part Numbers** 

Medium Tan 234660 Mineral Gray 234640

Recommended use of the chemical and restrictions on use

**Recommended use** Protective floor coating; for professional use only

Uses advised against Not intended for consumer use

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Ultra Durable Technologies 355 6<sup>th</sup> Ave. North Waite Park, MN 56387 320-258-2266 Ultradt.com

**Emergency telephone number** 

Emergency Telephone Chemtrec 320-221-9499

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2024 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2
Skin Irritant	Category 2

### GHS Label elements, including precautionary statements



#### Signal Word Warning

# **Hazard statements:**

Causes serious eye irritation.

Causes skin irritation.

# Precautionary Statements – Prevention:

Wash hands and affected skin thoroughly after handling.

Wear protective gloves, protective clothing, and eye protection.

# Precautionary Statements – Response

IF ON SKIN: Immediately take off all contaminated clothing. Rinse with water for several minutes. Wash contaminated clothing before reuse or discard.

If skin irritation occurs, get medical help.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical help.

#### Precautionary Statements - Storage:

Store locked up.

#### Precautionary Statements - Disposal:

Dispose of contents and container to an approved waste disposal plant.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Castor Oil	8001-79-4	60 - 65
Color Dispersion containing Titanium Dioxide	13463-67-7	10 - 20
Zeolite Powder	1318-02-1	2-5
Modified Oxazolidine	145899-78-1	1 - 5
3-glycidyl-oxypropyl-trimethoxy-silane	2530-83-8	0.1 - 1

**Trade Secret statement (OSHA 1910.1200(i))** Specific chemical identities and concentrations for one or more listed chemicals are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

# 4. FIRST AID MEASURES

**Description of first aid measures** 

**Eye Contact** Rinse eyes thoroughly with running water for at least 15 minutes, lifting upper and lower

eyelids as able. Remove contact lenses if easy to do and continue rinsing. Seek medical

attention if irritation develops.

Skin Contact Wash skin thoroughly with soap and water after handling. Remove contaminated clothing

and wash thoroughly before reuse or discard. Seek medical attention if irritation develops.

**Inhalation** Remove victim to fresh air and keep comfortable for breathing. If necessary, use artificial

respiration to support vital functions. Seek medical attention if irritation develops and

persists.

**Ingestion** If product is swallowed, call physician or poison control center for most current

information. Rinse mouth. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label

and/or SDS with the victim to the health professional.

# Most important symptoms and effects, both acute and delayed

Pre-existing skin or respiratory conditions may be aggravated

# Immediate medical attention and special treatment, if necessary

No information available

#### **Special instructions for Physicians**

Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

# Suitable extinguishing media

Water spray. Foam. Halon. Carbon Dioxide. Dry Chemical. Class "C" extinguishers.

# Unsuitable extinguishing media

No information available

# Specific hazards arising from the chemical

No information available

#### Protective equipment and precautions for fire-fighters

Evacuate area. Eliminate all ignition sources if safe to do so. Exercise caution when fighting any chemical fire. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Keep containers cool by spraying with water if exposed to fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene.

Avoid breathing dust/fumes/gas/mist/vapor/spray.

#### **Environmental precautions**

Avoid release to the environment. Do not allow product to enter drains, sewers, public water, surface water, or groundwater. If contact is made, notify authorities.

#### Methods and material for containment and cleaning up

Use personal protective equipment as required. Stop flow of material if able to do so safely. Contain discharged material. Absorb spill using absorbent, non-combustible material such as earth, sand, or vermiculite. Take up mechanically to an appropriate disposal container. Dispose of in accordance with local, state, and federal regulations. Scrub residues with detergent-water mix and allow to air dry.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Wear appropriate personal protective equipment – gloves, safety glasses, appropriate clothing. Wash hands thoroughly after use. Practice good industrial hygiene when using product.

# Conditions for safe storage, including any incompatibilities

# Storage conditions

Store in a cool, dry place away from direct sunlight. Store locked up. Keep container tightly closed when not in use.

#### Incompatible materials

No information available

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering Controls**

 $The use of local exhaust ventilation is recommended. \ Eye was h stations, chemical showers recommended.$ 

#### **Exposure Guidelines**

Chemical Name	STEL	ACGIH TLV	OSHA TWA
Castor Oil	Not established	Not established	Not established
Color Dispersion containing Titanium Dioxide (Gray)	Not established	Not established	Not established
Zeolite Powder	Not established	Not established	Not established
3-glycidyl-oxypropyl-trimethoxy-silane	Not established	Not established	Not established
Modified Oxazolidine	Not established	Not established	Not established

# Individual protection measures, such as personal protective equipment

Eye/Face Protection Protective Eyewear (chemical goggles). Face shield if splash hazard exists.

Skin and Body Protection Gloves. Protective clothing.

**Respiratory Protection** If adequate ventilation is not available, wear appropriate respirator for specific

circumstances and with exposure guidelines in mind.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practices.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid

**Color** May be opaque tan or opaque gray

No information

Odor Mild, sweet **Melting point** No information **Boiling point** No information Flammability Not applicable Upper flammability limit No information Lower flammability limit No information Flash point >93.3°C/>200°F No information **Autoignition Temperature Decomposition temperature** No information No information

Kinematic Viscosity

Solubility

Partition coefficient n-octanol/water (Log Pow)

Vapor pressure

Density

No information
No information
No information
9.0 lbs/gal

Relative Density S.0 information

# 10. STABILITY AND REACTIVITY

#### Reactivity

This product is non-reactive under normal conditions of use, storage and transport.

**Dynamic Viscosity** 

#### **Chemical stability**

Stable under normal conditions.

#### **Hazardous reactions**

None under normal conditions of use.

#### **Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# **Incompatible materials**

Strong oxidizing materials. Strong acids.

### **Hazardous decomposition products**

Thermal decomposition products include oxides of carbon and possible harmful vapors.

# 11. TOXICOLOGICAL INFORMATION

**Information on Likely Routes of Exposure** 

Inhalation Inhalation of gas/mist/vapor

**Eye Contact** Liquid material splash or gas/vapor/mist

Skin Contact Liquid material splash

Ingestion Liquid material

# Symptoms related to the physical, chemical, and toxicological characteristics

Skin irritation leading to rash.

Eye irritation.

# Delayed and immediate effects and also chronic effects from short- and long-term exposure

No information available

Numerical Values of Toxicity - Component Information

Chemical Name	Oral LD <sub>50</sub>	Dermal LD₅₀	Inhalation LC₅₀
Castor Oil			
Color Dispersion containing	>10,000 mg/kg	>10,000 mg.kg	3.43 mg/L
Titanium Dioxide (Gray)	(Rat)	(Rat)	(Rat, dust/mist)
Zeolite Powder	5,000 mg/kg	>2,000 mg/kg	2.4 mg/L
	(Rat)	(Rat)	(Rat, 1 hour)
3-glycidyl-oxypropyl-trimethoxy-		4,248 mg/kg	5.3 mg/L
silane		(Rabbit)	(Rat, 4 hour, dust/mist)
Modified Oxazolidine	> 2000 mg/kg		
	(Rat)		

**Skin Corrosion/Irritation** May cause skin irritation leading to rash

Serious Eye Damage/Irritation May cause eye irritation

Respiratory or Skin SensitizationNot classifiedGerm Cell MutagenicityNot classifiedCarcinogenicityNot classifiedReproductive ToxicityNot classifiedSTOT - Single ExposureNot classifiedSTOT - Repeated ExposureNot classifiedAspiration HazardNot classified

# Numerical Values of Toxicity - Product Information

The following data has been calculated using Chapter 3 of the GHS document.

Chemical Name	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
UDT Tropical Polyurea Part A	2,833 mg/kg	2,931 mg/kg	4.98 mg/L (dust/mist)

Acute Toxicity (oral)Not classifiedAcute Toxicity (dermal)Not classifiedAcute Toxicity (inhalation)Not classified

# **Interactive effects**

Pre-existing skin allergies and conditions may be aggravated with exposure to the product. Repeated exposure may further exaggerate skin conditions.

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

This product is not considered harmful to aquatic organisms or to cause long-term adverse effects on the environment.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Castor Oil			
Color Dispersion containing			
Titanium Dioxide (Gray)			
Zeolite Powder	EC <sub>50</sub> = 18 mg/L	LC <sub>50</sub> = 1800 – 3200 mg/L	EC <sub>50</sub> = 1000 – 1800 mg/L
	(95h Desmodesmus suspicatus)	(96h Poecillia reticulata)	(48h Daphnia magna)
		$LC_{50} = 3200 - 5600 \text{ mg/L}$	
		(96h Oryzias latipes)	
		$LC_{50} = 1800 \text{ mg/L}$	
		(96h Brachydanio rerio)	
3-glycidyl-oxypropyl-trimethoxy-			
silane			
Modified Oxazolidine	LC <sub>50</sub> = 21 mg/L	LC <sub>50</sub> = 87.5 mg/L	EC <sub>50</sub> >100 mg/L
	(72h)	(96h)	(48h Daphnia)

Chemical Name	Algae/aquatic plants	Fish	Crustacea
UDT Polyurea Summer/Winter Part A			

# **Persistence and Degradability**

No information available

#### **Bioaccumulation Potential**

Chemical Name	Partition Coefficient n-ocatnol/water (Log Pow)
Castor Oil	Not established
Color Dispersion containing Titanium Dioxide (Gray)	Not established
Zeolite Powder	Not established
3-glycidyl-oxypropyl-trimethoxy- silane	-0.854
Modified Oxazolidine	Not established

#### **Assessment**

Significant accumulation not expected.

#### **Mobility in Soil**

No information available

#### Other adverse effects

#### **Elimination information**

No information available

# Water hydrolysis

No information available

# 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods** 

Disposal of Wastes Disposal should be in accordance with applicable regional, national, and local laws and

regulation. Do not discharge product into sewer system.

Contaminated Packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

UN Number Not applicable UN Proper Shipping Name Not applicable

**Transport Hazard Class(es)** 

DOT Not applicable
IOMDG Not applicable
IATA Not applicable

**Packing Group** 

DOT Not applicable
IMDG Not applicable
IATA Not applicable

Environmental Hazards None Special Instructions for User None

**NOTE** Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100-177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

# 15. REGULATORY INFORMATION

# **Chemical Inventories**

TSCA All components of this product are listed on the TSCA Inventory or are exempted from listing.

# **US Federal Regulations**

**SARA 313** 

Section 313 of the Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals

which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372.

#### SARA 311/312 Hazard Categories

**Acute Health Hazard** No **Chronic Health Hazard** No Fire Hazard No **Sudden Release of Pressure Hazard** No No **Reactive Hazard** Carcinogenicity No **Respiratory or Skin Sensitization** No **Germ Cell Mutagenicity** No Serious Eye Damage/Irritation Yes

#### **US State Regulations**

California Proposition 65 – This product does not contain substances believed by the State of California to cause cancer, developmental, and/or reproductive harm.

State Right to Know - Massachusetts, New Jersey, Pennsylvania

#### **NFPA Hazard codes**

Health 1
Fire 1
Reactivity 0

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Preparation Date 24-June-2024 Revision Date 30-April-2025

Revision Note General formatting updates. Updated Sections 1, 2, 4,11, 14, and 15.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet